

Browser Based Multiple File Upload

Inventor:

James Clough

Darrel Cherry

Brennen Stollfus

BROWSER BASED MULTIPLE FILE UPLOAD

TECHNICAL FIELD

The present invention relates to loading files. More particularly, the
5 invention relates to a method and/or systems for loading files from a client to a
server.

SUMMARY

A method for loading a file on a workstation and/or a server comprising
10 communicating information from a device having a virtual machine (e.g.,
workstation, server, or other device) to the workstation; generating an applet
based on the information; communicating the applet from the workstation to
the device; executing the applet on the device to thereby cause searching for a
file; and communicating the file to the workstation. Also disclosed is a
15 computer-readable medium containing a computer program that is storable in
memory and executable by a processor to facilitate file loading.

BRIEF DESCRIPTION OF THE DRAWINGS

The present invention is illustrated by way of example and not limitation
20 in the figures of the accompanying drawings. The same numbers are used
throughout the figures to reference like components and/or features.

Fig. 1 illustrates a network environment in which multiple servers,
workstations, and printers are coupled to one another via a data communication
25 network.

Fig. 2 is a block diagram showing pertinent components of a printer suitable for use with various exemplary systems and/or methods described herein.

5 Fig. 3 is a block diagram showing pertinent components of a computer workstation suitable for use with various exemplary systems and/or methods described herein.

10 Fig. 4 is a block diagram showing an exemplary system suitable for use with various methods described herein.

Fig. 5 is a block diagram of the exemplary system shown in Fig. 4, suitable for use with various methods described herein.

15 Fig. 6 is a block diagram of the exemplary system shown in Fig. 5, wherein the server includes an applet.

Fig. 7 is a block diagram of the exemplary system shown in Fig. 5, wherein the workstation includes an applet.

20 Fig. 8 is a block diagram of the exemplary system shown in Fig. 5, wherein the workstation includes an applet capable of execution in a sandbox.

25 Fig. 9 is a block diagram of the exemplary system shown in Fig. 5, wherein the workstation has communicated needed files to the server.

Fig. 10 is a block diagram of an exemplary system including a device in communication with the workstation.

Fig. 11 is a block diagram of an exemplary method that communicates
5 files.

DETAILED DESCRIPTION

Fig. 1 illustrates a network environment in which multiple servers, workstations, and printers are coupled to one another via a data communication
10 network 100. The network 100 couples together servers 102 and 104, computer workstations 106 and 108, and printers 110 and 112. Network 100 can be any type of network, such as a local area network (LAN) or a wide area network (WAN), using any type of network topology and any network communication protocol. In a particular embodiment, network 100 is the
15 Internet. Although only a few devices are shown coupled to network 100, a typical network may include tens or hundreds of devices coupled to one another. Furthermore, network 100 may be coupled to one or more other networks, thereby providing coupling between a greater number of devices.

20 Servers 102 and 104 may be file servers, email servers, database servers, print servers, or any other type of network server. Workstations 106 and 108 can be any type of computing device, such as a personal computer. Particular embodiments of the invention illustrate printers 110 and 112 as laser printers. However, alternate embodiments of the invention are implemented with ink-jet,
25 bubble-jet or any other type of printer. Furthermore, the teachings of the present invention may be applied to any type of printing device, such as copiers and fax machines. Although not shown in Fig. 1, one or more workstations

and/or servers may contain a print rendering engine capable of converting raw print job information into a particular format (e.g., language) understood by certain types of printers.

5 Fig. 2 is a block diagram showing pertinent components of printer 110 suitable for use with various examples presented herein. Printer 110 includes a processor 120, an electrically erasable programmable read-only memory (EEPROM) 122, and a random access memory (RAM) 124. Processor 120 processes various instructions necessary to operate the printer 110 and
10 communicate with other devices. EEPROM 122 and RAM 124 store various information such as configuration information, fonts, templates, data being printed, and menu structure information. Although not shown in Fig. 2, a particular printer may also contain a ROM (non-erasable) in place of or in addition to EEPROM 122.

15 Printer 110 also includes a disk drive 126, a network interface 128, and a serial/parallel interface 130. Disk drive 126 provides additional storage for data being printed or other information used by the printer 110. Although both RAM 124 and disk drive 126 are illustrated in Fig. 2, a particular printer may
20 contain either RAM 124 or disk drive 126, depending on the storage needs of the printer. For example, an inexpensive printer may contain a small amount of RAM 124 and no disk drive 126, thereby reducing the manufacturing cost of the printer. Network interface 128 provides a connection between printer 110 and a data communication network, such as network 100. Network interface
25 128 allows devices coupled to a common data communication network to send print jobs, menu data, and other information to printer 110 via the network. Similarly, serial/parallel interface 130 provides a data communication path

directly between printer 110 and another device, such as a workstation, server, or other computing device. Although the printer 110 shown in Fig. 2 has two interfaces (network interface 128 and serial/parallel interface 130, which are optionally USB or wireless interfaces), a particular printer may only contain one interface.

As shown in Fig. 2, printer 110 also contains a user interface/menu browser 132 and a display panel 134. User interface 132 may be a series of buttons, switches or other indicators that are manipulated by the user of the printer. Display panel 134 is a graphical display that provides information regarding the status of the printer and the current options available through the menu structure. Thus, the user can provide input to the printer 110 by touching the appropriate portion of the touch screen.

Fig. 3 is a block diagram showing pertinent components of a computer workstation 106 in accordance with the description presented herein. Such a workstation may operate as a server; thus, the term workstation includes server and/or client.

Workstation 106 includes a processor 140, a memory 142 (such as ROM and RAM), user input devices 144, a disk drive 146, interfaces 148 for inputting and outputting data, a floppy disk drive 150, and a CD-ROM drive 152. Processor 140 performs various instructions to control the operation of workstation 106. Memory 142, disk drive 146, and floppy disk drive 150, and CD-ROM drive 152 provide data storage mechanisms. User input devices 144 include a keyboard, mouse, pointing device, or other mechanism for inputting

information to workstation 106. Interfaces 148 provide a mechanism for workstation 106 to communicate with other devices.

As described below, an exemplary system and/or an exemplary method
5 include and/or use an applet. An applet generally comprises a small, self-contained computer program that performs a task or tasks as part of, or under the control of, a larger software application. For example, most modern World Wide Web browsers are capable of making use of applets written in a JAVA™ programming language (Sun Microsystems, Palo Alto, California) to perform
10 simple tasks such as displaying animations or more complex tasks such as operating spreadsheets and/or databases. However, as described herein, the term “applet” is not limited to applets written in a JAVA™ programming language and/or compiled to JAVA™ programming language bytecode.

15 An applet typically executes on a virtual machine. As known in the art, a virtual machine is software that acts as an interface between a program code and a processor or hardware platform that actually performs the program's instructions. Examples of commercially available virtual machines include the JAVA™ virtual machine; the .NET™ framework virtual machine (Microsoft Corporation, Redmond, Washington); and the CHAI® virtual machine (Hewlett-Packard Company, Palo Alto, California). According to the description herein, all of these virtual machines are capable of executing applets. For example, a .NET™ framework virtual machine can execute applets in the form of an intermediate language and a CHAI® virtual machine,
20 which optionally cooperates with a CHAI® server and/or CHAI® services, can execute applets known as chailets. Yet another form of applet is a “servlet”,

which is code targeted for execution on a server virtual machine rather than a browser virtual machine.

5 In a traditional client/server model, a server communicates an applet to a client and the client executes the applet. In particular, a client typically uses a browser, having a virtual machine, to download and to execute an applet. To prevent the creation and distribution of malicious code, applet execution usually takes place in a "sandbox". A sandbox can also prevent an applet from reading and/or writing to a client's file system. Of course a wide variety of
10 restrictions and/or permission are possible.

Applet code restricted to a sandbox is generally known as untrusted code whereas code that can have an effect outside of a sandbox is generally known as trusted code. A security procedure related to trust involves the use of a
15 signed applet, for example, an applet accompanied by a digital signature. A signed applet can have an effect outside of a sandbox if the browser recognizes the applet's signature. Once a browser recognizes a signed applet, code associated with the signature will typically be trusted. As described below, an applet's trusted code can have an effect outside of a sandbox, for example,
20 trusted code may cause a search for, or of, files on a workstation, network, storage device, etc. Thus, a trusted applet can cause a client computer to read and/or write to a file, communicate with a device, connect to a socket, and so on.

25 As described in more detail below, exemplary systems and/or exemplary methods optionally configure a server through use of a set-up information or definition (INF) file. An INF file is typically a text file that contains

information about a device(s) and/or file(s) to be installed on a client, a server, a workstation and/or other processor-based device. Usually, a vendor supplies an INF file that installs vendor files related to a vendor's device. For example, a printer vendor may supply an INF file that installs the vendor's printer drivers and/or other files related to the vendor's device. The vendor's INF file may also invoke an INF file of another vendor, such as an operating system vendor. For example, a printer vendor's INF file may invoke an operating system INF file (e.g., ntprint.inf), which in turn installs appropriate printer driver components related to the operating system.

When an installation process begins, a set-up program typically: (i) accesses the INF file's contents, for example, by calling a function that return a handle to the INF file; (ii) verifies the validity of the INF file; and (iii) determines where installation files are located. The set-up program then usually locates an INF manufacturer section, which contains directives to INF models sections, which in turn provide directives leading to various INF "DDInstall" sections, based on the hardware ID of the device being installed. By using system-defined extensions to INF file sections and directives, a single INF file may provide for cross-platform installations and/or for dual-operating system installations.

Referring to Fig. 4, an exemplary system 300 includes a network 310, workstations 306, 308, servers 302, 304 and peripheral devices, such as, but not limited to printers 310, 312. Workstation 308 further includes a browser 320 (e.g., a Web browser), a configuration file 328, and a CD-ROM drive 352. Note that the configuration file 328 optionally resides on a CD in the CD-ROM drive 352 or on another storage device, such as, a disk drive (e.g., disk drive

146 of Fig. 3), memory (e.g., memory 142 of Fig. 3), or a floppy disk drive (e.g., floppy disk drive 150 of Fig. 3). In addition, any one of the aforementioned storage devices, and equivalents thereof, may substitute for the CD-ROM drive 352.

5

The browser 320 optionally connects to a server 302, 304 through the network 310 and displays information received from the server 302, 304. For example, when connected to the Web, the browser 320 may act as a Web browser and display a Web page. The configuration file 328 includes
10 information for configuring a server and optionally comprises an INF file. As described below, the configuration file 328 also includes information germane to file retrieval from or through the workstation 308.

Fig. 5 illustrates the server 302 and the workstation 308 of Fig. 4 in
15 relation to an exemplary method. In this exemplary method, the workstation 308 communicates (e.g., via a network or otherwise) with the server 302 to transfer or copy the configuration file 328 to the server 302. Accordingly, in Fig. 5, the configuration file 328 appears as a component of the server 302. Also note that the server 302 includes a processor 340 and software 360. Of
20 course, the server 302 optionally includes other components such as those of the workstation shown in Fig. 3.

Fig. 6 shows the server 302 and the workstation 308 of Fig. 5 further in relation to an exemplary method. In this exemplary method, the server 302
25 generates an applet 364 using the processor 340, the software 360 and information contained in the configuration file 328. This applet 364 preferably

comprises a form suitable for communication to the workstation 308 and for execution on the browser 320.

Fig. 7 shows the server 302 and the workstation 308 of Fig. 6 further in relation to an exemplary method. In this exemplary method, the sever 302 communicates the applet 364 to the workstation 308. Accordingly, in Fig. 7, the applet 364 appears as a component of the server 308.

As mentioned previously, the applet 364 preferably comprises a form suitable for execution on the browser 320. Fig. 8 shows the workstation 308 and the browser 320 further in relation to an exemplary method. In this exemplary method, the browser 320 executes the applet 364 in a sandbox 368. Note that the CD-ROM drive 352 also includes files 372, which are germane to configuration of the server 302. Often, browser security prevents an applet from having effect outside of a sandbox; however, in the exemplary method described, and system 300 shown in Figs. 4-8, a need exists for the applet 364 to have an effect outside of the sandbox 368. In particular, the applet 364 includes information germane to files needed to configure the server 302. Such information optionally includes file names and/or an interface that allows a user to direct the browser 320 and/or workstation 308 to the needed files.

As shown in Fig. 8, files 372, including files needed for configuration of the server 302, reside on a CD-ROM drive 352. Thus, in the exemplary method, the browser 320 allows the applet to have an effect outside of the sandbox 368. For example, the applet 364 optionally includes a list of file names (or extensions) for files needed to configure the server. In this example, the browser 320 allows for a search of the CD-ROM drive 352 files 372 for the

needed files. If this search does not produce adequate results, then the browser 320 may allow for a search of another storage device. Alternatively, the browser 320 may turn control over to a user, e.g., prompting the user to insert a storage medium, browse directories, the Web, other locations, media, and/or devices for the needed files.

Wherein the applet 364 comprises a JAVATM language applet and the sandbox 368 comprises a JAVATM language sandbox, the applet is "trusted" and/or contains information to allow for an effect outside of the sandbox 368.

10

Referring to Fig. 9, the workstation 308 and the browser 320 are shown in relation to an exemplary method. In particular, the server 302 now includes needed files 372' which were communicated from the workstation 308.

15

For the exemplary system 300 and/or exemplary methods described above, the configuration file 328 optionally comprises an INF file for configuring a server, and in particular, a printer server.

Fig. 10 shows the system 300 wherein the workstation 308 communicates with a device 354 having files 372. In this particular example, the device 354 optionally comprises a photographic and/or videographic instrument (e.g., a still and/or video camera) and/or a medium reader. Most instruments or cameras include memory such as built-in memory and/or removable memory. Often, a user connects a camera to a workstation to communicate files from the camera memory to the workstation memory. Alternatively, a camera uses a memory card, disk, stick, and/or other medium

to store image files, which are subsequently available to a workstation equipped with an appropriate medium reader.

In an exemplary method, the device 354 comprises a digital camera
5 having a plurality of image files stored in a built-in memory. When a user connects the camera 354 to the workstation 308, the workstation 308 receives a configuration file 328 from the camera 354. Alternatively, the configuration file 328 already resides on the workstation 308. In either instance, the workstation 308 communicates the configuration file 328 to the server 302.

10 The configuration file 328 optionally includes names and/or extensions of image files (e.g., included in the files 372) resident on the camera 354 and/or other information germane to files (e.g., included in the files 372) resident on the camera 354. In turn, the server 302 communicates an applet 364 to the workstation 308. The applet 364 executes on the workstation 308 and causes a
15 search for image files, for example, locally on the workstation 308 and/or on the camera 354. Of course, as described earlier, the applet 364 optionally allows for user interaction. If the search finds the files, the workstation 308 communicates them to the server 302. Once at the server 302, the files optionally become associated with a Web site.

20

In yet another exemplary method, referring loosely to elements appearing in Fig. 10, a device 354 functions as a “workstation” and a workstation 308 functions as a “server”. In this exemplary method, the device 354 includes a browser (such as browser 320) capable of executing an applet,
25 for example, wherein the device 354 includes a virtual machine. Accordingly, the device 354 communicates a configuration file to the workstation 308 and the workstation 308 generates an applet and communicates the applet to the

device 354. The applet executes on the device 354, automatically and/or through user input, to thereby cause a search for files. If the search finds the files, then they are communicated from the device 354 to the workstation 308.

5 In general, this exemplary method for loading a file on a workstation includes communicating information from a device having a virtual machine to the workstation; generating an applet based on the information; communicating the applet from the workstation to the device; executing the applet on the device to thereby cause searching for a file; and communicating the file to the
10 workstation. In this exemplary method, the workstation optionally comprises a server and/or the device optionally comprises a workstation.

 Fig. 11 illustrates a block diagram of an exemplary method of applet assisted loading 400 to communicate files from and/or through a workstation to
15 a server. This exemplary method optionally executes on the system 300 shown in Figs. 4-9. In a communication block 410, a workstation communicates a file to a server. In an applet generation block 414, the server generates an applet based on or related to information contained in the file. In another communication block 418, the server communicates the applet to the
20 workstation. The workstation, through an execution block 422, executes the applet. A search block 426 follows, wherein applet execution causes a search for needed files. If the search finds a file or files, then a third communication block 430 communicates the file or files to the server.

25 In the exemplary method described above with reference to Fig. 11, the file in communication block 410 optionally comprises an INF file for configuring a server, and in particular, a printer server. In yet another

exemplary method, the workstation communicates information that is not necessarily in the form of a file and the server generates an applet based on the communicated information. For example, the information may optionally comprise a notification in response to a communication channel being
5 established. In this exemplary method, the notification triggers generation and/or communication of an applet to the workstation. Thus, in some instances, the server does not need to generate an applet but only communicate an existing applet to the workstation in response to a notification.

10 Conclusion

The systems and/or methods disclosed herein are suitable for a variety of applications. Such applications include, but are not limited to: E-commerce solutions that integrate imaging and printing with enterprise/service provider business processes; hardcopy solutions that integrate imaging and printing
15 processes and provide building blocks for E-commerce solutions (e.g., E-Publishing, consumables/usage management (including sensors), peripheral management, overall system/data/job/network management/flow/security, document/job management, media/finishing management, media finishing hardware, color management, connectivity solutions, user interfaces, Casper);
20 Internet centric architecture (e.g., performance, imaging and printing (I&P) solution infrastructure, I&P spoolers, virtual personal printer, digital send “like” technologies, JetSend “like” technologies, wireless, other new forms of connectivity, home networking); and service and support (e.g., remote diagnostics (including sensors), predictive maintenance, consumables
25 management, call center enhancements).

Although the invention has been described in language specific to structural features and/or methodological steps, it is to be understood that the invention defined in the appended claims is not necessarily limited to the specific features or steps described. Rather, the specific features and blocks are
5 disclosed as preferred forms of implementing the claimed invention.

10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000
1001
1002
1003
1004
1005
1006
1007
1008
1009
1010
1011
1012
1013
1014
1015
1016
1017
1018
1019
1020
1021
1022
1023
1024
1025
1026
1027
1028
1029
1030
1031
1032
1033
1034
1035
1036
1037
1038
1039
1040
1041
1042
1043
1044
1045
1046
1047
1048
1049
1050
1051
1052
1053
1054
1055
1056
1057
1058
1059
1060
1061
1062
1063
1064
1065
1066
1067
1068
1069
1070
1071
1072
1073
1074
1075
1076
1077
1078
1079
1080
1081
1082
1083
1084
1085
1086
1087
1088
1089
1090
1091
1092
1093
1094
1095
1096
1097
1098
1099
1100
1101
1102
1103
1104
1105
1106
1107
1108
1109
1110
1111
1112
1113
1114
1115
1116
1117
1118
1119
1120
1121
1122
1123
1124
1125
1126
1127
1128
1129
1130
1131
1132
1133
1134
1135
1136
1137
1138
1139
1140
1141
1142
1143
1144
1145
1146
1147
1148
1149
1150
1151
1152
1153
1154
1155
1156
1157
1158
1159
1160
1161
1162
1163
1164
1165
1166
1167
1168
1169
1170
1171
1172
1173
1174
1175
1176
1177
1178
1179
1180
1181
1182
1183
1184
1185
1186
1187
1188
1189
1190
1191
1192
1193
1194
1195
1196
1197
1198
1199
1200
1201
1202
1203
1204
1205
1206
1207
1208
1209
1210
1211
1212
1213
1214
1215
1216
1217
1218
1219
1220
1221
1222
1223
1224
1225
1226
1227
1228
1229
1230
1231
1232
1233
1234
1235
1236
1237
1238
1239
1240
1241
1242
1243
1244
1245
1246
1247
1248
1249
1250
1251
1252
1253
1254
1255
1256
1257
1258
1259
1260
1261
1262
1263
1264
1265
1266
1267
1268
1269
1270
1271
1272
1273
1274
1275
1276
1277
1278
1279
1280
1281
1282
1283
1284
1285
1286
1287
1288
1289
1290
1291
1292
1293
1294
1295
1296
1297
1298
1299
1300
1301
1302
1303
1304
1305
1306
1307
1308
1309
1310
1311
1312
1313
1314
1315
1316
1317
1318
1319
1320
1321
1322
1323
1324
1325
1326
1327
1328
1329
1330
1331
1332
1333
1334
1335
1336
1337
1338
1339
1340
1341
1342
1343
1344
1345
1346
1347
1348
1349
1350
1351
1352
1353
1354
1355
1356
1357
1358
1359
1360
1361
1362
1363
1364
1365
1366
1367
1368
1369
1370
1371
1372
1373
1374
1375
1376
1377
1378
1379
1380
1381
1382
1383
1384
1385
1386
1387
1388
1389
1390
1391
1392
1393
1394
1395
1396
1397
1398
1399
1400
1401
1402
1403
1404
1405
1406
1407
1408
1409
1410
1411
1412
1413
1414
1415
1416
1417
1418
1419
1420
1421
1422
1423
1424
1425
1426
1427
1428
1429
1430
1431
1432
1433
1434
1435
1436
1437
1438
1439
1440
1441
1442
1443
1444
1445
1446
1447
1448
1449
1450
1451
1452
1453
1454
1455
1456
1457
1458
1459
1460
1461
1462
1463
1464
1465
1466
1467
1468
1469
1470
1471
1472
1473
1474
1475
1476
1477
1478
1479
1480
1481
1482
1483
1484
1485
1486
1487
1488
1489
1490
1491
1492
1493
1494
1495
1496
1497
1498
1499
1500
1501
1502
1503
1504
1505
1506
1507
1508
1509
1510
1511
1512
1513
1514
1515
1516
1517
1518
1519
1520
1521
1522
1523
1524
1525
1526
1527
1528
1529
1530
1531
1532
1533
1534
1535
1536
1537
1538
1539
1540
1541
1542
1543
1544
1545
1546
1547
1548
1549
1550
1551
1552
1553
1554
1555
1556
1557
1558
1559
1560
1561
1562
1563
1564
1565
1566
1567
1568
1569
1570
1571
1572
1573
1574
1575
1576
1577
1578
1579
1580
1581
1582
1583
1584
1585
1586
1587
1588
1589
1590
1591
1592
1593
1594
1595
1596
1597
1598
1599
1600
1601
1602
1603
1604
1605
1606
1607
1608
1609
1610
1611
1612
1613
1614
1615
1616
1617
1618
1619
1620
1621
1622
1623
1624
1625
1626
1627
1628
1629
1630
1631
1632
1633
1634
1635
1636
1637
1638
1639
1640
1641
1642
1643
1644
1645
1646
1647
1648
1649
1650
1651
1652
1653
1654
1655
1656
1657
1658
1659
1660
1661
1662
1663
1664
1665
1666
1667
1668
1669
1670
1671
1672
1673
1674
1675
1676
1677
1678
1679
1680
1681
1682
1683
1684
1685
1686
1687
1688
1689
1690
1691
1692
1693
1694
1695
1696
1697
1698
1699
1700
1701
1702
1703
1704
1705
1706
1707
1708
1709
1710
1711
1712
1713
1714
1715
1716
1717
1718
1719
1720
1721
1722
1723
1724
1725
1726
1727
1728
1729
1730
1731
1732
1733
1734
1735
1736
1737
1738
1739
1740
1741
1742
1743
1744
1745
1746
1747
1748
1749
1750
1751
1752
1753
1754
1755
1756
1757
1758
1759
1760
1761
1762
1763
1764
1765
1766
1767
1768
1769
1770
1771
1772
1773
1774
1775
1776
1777
1778
1779
1780
1781
1782
1783
1784
1785
1786
1787
1788
1789
1790
1791
1792
1793
1794
1795
1796
1797
1798
1799
1800
1801
1802
1803
1804
1805
1806
1807
1808
1809
1810
1811
1812
1813
1814
1815
1816
1817
1818
1819
1820
1821
1822
1823
1824
1825
1826
1827
1828
1829
1830
1831
1832
1833
1834
1835
1836
1837
1838
1839
1840
1841
1842
1843
1844
1845
1846
1847
1848
1849
1850
1851
1852
1853
1854
1855
1856
1857
1858
1859
1860
1861
1862
1863
1864
1865
1866
1867
1868
1869
1870
1871
1872
1873
1874
1875
1876
1877
1878
1879
1880
1881
1882
1883
1884
1885
1886
1887
1888
1889
1890
1891
1892
1893
1894
1895
1896
1897
1898
1899
1900
1901
1902
1903
1904
1905
1906
1907
1908
1909
1910
1911
1912
1913
1914
1915
1916
1917
1918
1919
1920
1921
1922
1923
1924
1925
1926
1927
1928
1929
1930
1931
1932
1933
1934
1935
1936
1937
1938
1939
1940
1941
1942
1943
1944
1945
1946
1947
1948
1949
1950
1951
1952
1953
1954
1955
1956
1957
1958
1959
1960
1961
1962
1963
1964
1965
1966
1967
1968
1969
1970
1971
1972
1973
1974
1975
1976
1977
1978
1979
1980
1981
1982
1983
1984
1985
1986
1987
1988
1989
1990
1991
1992
1993
1994
1995
1996
1997
1998
1999
2000
2001
2002
2003
2004
2005
2006
2007
2008
2009
2010
2011
2012
2013
2014
2015
2016
2017
2018
2019
2020
2021
2022
2023
2024
2025
2026
2027
2028
2029
2030
2031
2032
2033
2034
2035
2036
2037
2038
2039
2040
2041
2042
2043
2044
2045
2046
2047
2048
2049
2050
2051
2052
2053
2054
2055
2056
2057
2058
2059
2060
2061
2062
2063
2064
2065
2066
2067
2068
2069
2070
2071
2072
2073
2074
2075
2076
2077
2078
2079
2080
2081
2082
2083
2084
2085
2086
2087
2088
2089
2090
2091
2092
2093
2094
2095
2096
2097
2098
2099
2100
2101
2102
2103
2104
2105
2106
2107
2108
2109
2110
2111
2112
2113
2114
2115
2116
2117
2118
2119
2120
2121
2122
2123
2124
2125
2126
2127
2128
2129
2130
2131
2132
2133
2134
2135
2136
2137
2138
2139
2140
2141
2142
2143
2144
2145
2146
2147
2148
2149
2150
2151
2152
2153
2154
2155
2156
2157
2158
2159
2160
2161
2162
2163
2164
2165
2166
2167
2168
2169
2170
2171
2172
2173
2174
2175
2176
2177
2178
2179
2180
2181
2182
2183
2184
2185
2186
2187
2188
2189
2190
2191
2192
2193
2194
2195
2196
2197
2198
2199
2200
2201
2202
2203
2204
2205
2206
2207
2208
2209
2210
2211
2212
2213
2214
2215
2216
2217
2218
2219
2220
2221
2222
2223
2224
2225
2226
2227
2228
2229
2230
2231
2232
2233